

On page 5, line 9, replace "SALLRSIPA+alcohol" with --SALLRSIPA (SEQ ID NO:1) + alcohol--.

On page 5, line 9, replace "NAPVSIPQ+SALLRSIPA+alcohol" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1) + alcohol--.

On page 5, line 10, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 5, line 14, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 5, line 19, replace "NAPVSIPQ+alcohol (24), NAPVSIPQ+NAPVSIPQ+alcohol" with --NAPVSIPQ (SEQ ID NO:2) + alcohol (24), NAPVSIPQ (SEQ ID NO:2) + NAPVSIPQ (SEQ ID NO:2) + alcohol--.

On page 5, line 20, replace "SALLRSIPA+alcohol" with --SALLRSIPA (SEQ ID NO:1) + alcohol--.

On page 5, line 20, replace "NAPVSIPQ+SALLRSIPA+alcohol" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1) + alcohol--.

On page 5, line 21, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 5, line 24, replace "NAPVSIPQ+SALLRSIPA+alcohol" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1) + alcohol--.

On page 5, line 25, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 5, line 29, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 5, line 32, insert --(SEQ ID NO:1)-- after "SALLRSIPA".

On page 5, line 32, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 5, line 14, replace "SALLRSIPA or NAPVSIPQ" with --SALLRSIPA (SEQ ID NO:1) or NAPVSIPQ (SEQ ID NO:2)--.

On page 17, line 12, insert --(SEQ ID NO:1)-- after "ADNF I polypeptide".

On page 17, line 13, insert --(SEQ ID NO:2)-- after "ADNF III polypeptide".

On page 17, line 32, insert --; SEQ ID NO:14-- after "(SEQ ID NO:5)".

On page 18, line 1, insert --; SEQ ID NO:15-- after "(SEQ ID NO:9)".

On page 18, line 3, replace "(SEQ ID NO:13)" with --(SEQ ID NO:10);
SEQ ID NO:16--.

On page 18, line 4, insert --; SEQ ID NO:17-- after "(SEQ ID NO:11)".

On page 18, line 13, insert --; SEQ ID NO:18-- after "(SEQ ID NO:7)".

On page 18, line 16, insert --; SEQ ID NO:19-- after "(SEQ ID NO:12)".

On page 18, line 18, insert --; SEQ ID NO:20-- after "(SEQ ID NO:13)".

On page 18, line 22, insert --; SEQ ID NO:21-- after "y is zero".

On page 18, line 24, insert --; SEQ ID NO:22-- after "y is zero".

On page 18, line 25, insert --; SEQ ID NO:23-- after "y is zero".

On page 18, line 26, replace "R³ is Leu-Glu-Gly" with --R³ is Leu-Gly-Gly--.

On page 18, line 26, insert --; SEQ ID NO:24-- after "is Gln-Ser".

On page 18, line 28, insert --; SEQ ID NO:25-- after "is Gln-Ser".

On page 18, line 30, insert --; SEQ ID NO:26-- after "is Gln-Ser".

On page 18, line 31, replace "(SALLRSIPA or NAPVSIPQ)" with
--(SALLRSIPA (SEQ ID NO:1) or NAPVSIPQ (SEQ ID NO:2))--.

On page 23, line 14, insert --(SEQ ID NO:1)-- after "ADNF I polypeptide".

On page 23, line 14, insert --(SEQ ID NO:2)-- after "ADNF III polypeptide".

On page 23, line 32, replace "SALLRSIPA and NAPVSIPQ" with
--SALLRSIPA (SEQ ID NO:1) and NAPVSIPQ (SEQ ID NO:2)--.

On page 31, line 5, replace "SALLRSIPA or NAPVSIPQ" with --SALLRSIPA
(SEQ ID NO:1) or NAPVSIPQ (SEQ ID NO:2)--.

On page 32, line 30, replace "(NAPVSIPQ, SALLRSIPA,
NAPVSIPQ+SALLRSIPA)" with --NAPVSIPQ (SEQ ID NO:2), SALLRSIPA
(SEQ ID NO:1), NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1))--.

On page 32, line 31, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 32, line 32, replace "40 µg" with --(40 µg)--.

On page 32, line 32, insert --(SEQ ID NO:1)-- after "SALLRSIPA".

On page 32, line 32, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 32, line 33, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 32, line 33, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 33, line 18, replace "NAPVSIPQ+SALLRSIPA+alcohol" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1) + alcohol--.

On page 33, line 18, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 34, line 3, replace "NAPVSIPQ+SALLRSIPA+alcohol" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1) + alcohol--.

On page 35, line 2, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 35, line 3, insert --(SEQ ID NO:1)-- after "SALLRSIPA".

On page 35, line 4, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 35, line 4, insert --(SEQ ID NO:1)-- after "SALLRSIPA".

On page 35, line 6, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 35, line 7, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 35, line 8, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 35, line 8, insert --(SEQ ID NO:1)-- after "SALLRSIPA".

On page 35, line 17, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 35, line 17, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 35, line 19, insert --(SEQ ID NO:1)-- after "SALLRSIPA".

On page 35, line 22, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 35, line 27, replace "NAPVSIPQ+SALLRSIPA" with --NAPVSIPQ (SEQ ID NO:2) + SALLRSIPA (SEQ ID NO:1)--.

On page 35, line 27, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".

On page 35, line 28, insert --(SEQ ID NO:1)-- after "SALLRSIPA".

On page 35, line 31, insert --(SEQ ID NO:2)-- after "NAPVSIPQ".